



# BAROMETER Sanitel-MED: Total AB use in PIG, POULTRY and VEAL

Evolution of tons AB used per ANIMAL TYPE in Sanitel-Med with reference to sales data of 2017 (BelVetSac)




# BAROMETER Sanitel-MED: Total AB and ZnO use

Evolution of tons antibiotics (AB) used per ANIMAL TYPE and tons **Zinc Oxide (ZnO)** used in PIG in Sanitel-Med with reference to sales data of 2017 (BelVetSac)




# BAROMETER Sanitel-MED: Red molecules

## Evolution of kg Fluoroquinolones used per ANIMAL TYPE in Sanitel-Med



## Evolution of kg Cephalosporines 3G/4G used in PIG in Sanitel-Med




# BAROMETER Sanitel-MED: Red molecules (2)

Evolution of kg red molecules (Fluoroquinolones + Cepaholosporins 3G/4G) used per ANIMAL TYPE and number of farms where these substances were used




# BAROMETER Sanitel-MED: Colistine and ZnO

Evolution of kg Polymyxines (Colistine) used per ANIMAL TYPE in Sanitel-Med




Evolution of kg Zinc Oxide used in PIG in Sanitel-Med



# BAROMETER Sanitel-MED: Colistine and ZnO (2)

Evolution of Tons Colistine and Zinc Oxide used in PIG and number of farms where these substances were used



# BAROMETER Sanitel-MED: Colistine and ZnO (3)

Evolution of kg Colistine used in POULTRY and VEAL and number of farms these substances were used

